



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/650,240	08/27/2003	Andreas Muhe	19232.0011UI	6388
23859	7590	05/26/2006	EXAMINER	
NEEDLE & ROSENBERG, P.C. SUITE 1000 999 PEACHTREE STREET ATLANTA, GA 30309-3915			KUNEMUND, ROBERT M	
			ART UNIT	PAPER NUMBER
			1722	

DATE MAILED: 05/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/650,240	MUHE, ANDREAS	
	Examiner	Art Unit	
	Robert M. Kunemund	1722	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 March 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 7-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 7-9 is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 to 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Young et al.

The Young reference teaches a method and an apparatus for a vertical Bridgman crystal growth, note entire reference. A crucible is placed in the core of a heater. The crucible is moved through the core. The heater can be separated into different sections, which operate separately, note col. 4. There are thermocouples, which are placed in different spots in the heater to measure temperatures at the central axis of the crucible, note figure 1. The information from the thermocouples is sent to a means, which in turns regulate and controls the heaters. The Young et al reference differs from the instant claims position of the thermocouples. However, in the absence of unexpected results, it would have been obvious to one of ordinary skill in the art to determine through routine experimentation the optimum, operable placement of the thermocouples in the Young et al reference in order to increase control of the heater and hence increase uniformity of the heating in the crucible creating a better crystal.

Response to Applicants' Arguments

Applicant's arguments filed March 9, 2006 have been fully considered but they are not persuasive.

Applicants' argument concerning the Young et al reference is noted. However, the reference is not limited to one placement of the thermocouples. The reference does teach other placements are possible in the apparatus. Therefore, there is motivation and a suggestion in the art to modify the embodiment shown in the Young et al reference to change the placement of the thermocouples and control the crystal growth by measuring heat. Further, the reference does in fact show a side heater around the crucible and a hollow cylindrical body between the side heater and the crucible. Therefore, the apparatus of the Young et al reference is similar to that which is instantly claimed. The Young et al reference further teaches that controls are used on the side heater. Thus, the reference does teach an apparatus which is capable of functioning as is instantly claimed. The reference does suggest other placement of the thermocouples.


Applicants' argument concerning claims 7 to 9 has been considered and deemed persuasive. The prior art does not teach a method of controlling the temperature gradient as is now claimed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert M. Kunemund whose telephone number is 571-272-1464. The examiner can normally be reached on 8 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571-272-1312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1722

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Robert M Kunemund
Primary Examiner
Art Unit 1722

RMK